

Toolan's H-1 Virus (H-1)

Host species

- natural host: laboratory and wild rats (JACOBY et al. 1979)
- hamsters and other species can be infected experimentally (KILHAM & MARGOLIS 1975, National Research Council 1991)
- mouse cells cannot be infected by H-1 (TATTERSALL & COTMORE 1986)

Properties of the virus

- highly temperature resistant (FASSOLITIS et al. 1985)
- highly resistant at different pH values, desiccation and other environmental conditions (GREENE 1963, TATTERSALL & COTMORE 1986)

Strain susceptibility

- none

Organotropism

- viral replication only in mitotically active tissues like, e.g. embryo, intestines, tumours (JACOBY et al. 1979)
- pathogenic for the developing liver and cerebellum (JACOBY & BALL-GOODRICH 1995)

Clinical disease

- no clinical signs after natural infection (National Research Council 1991)
- fetal and neonatal abnormalities (KILHAM & MARGOLIS 1975)
- cerebellar hypoplasia and chronic ataxia in young animals after experimental infection (MARGOLIS & KILHAM 1975)

Pathology

- no lesions after natural infection
- experimental malformations of the central nervous system, skeleton, and teeth (KILHAM & MARGOLIS 1975)
- hepatocellular necrosis after partial hepatectomy (RUFFOLO et al. 1966)

Morbidity and mortality

- no clinical signs after natural infection
- mongoloid-like deformations in hamsters experimentally infected as newborns (TOOLAN & LEDINKO 1968)

Zoonotic potential

- none

Interference with research

Physiology

- delayed healing of bone fractures and altered callus formation (KILHAM & MARGOLIS 1975)
- inhibition of lipid formation in rat kidney cells in vitro (SCHUSTER et al. 1991)
- increased abortion rate (KILHAM & MARGOLIS 1969)

Pathology

- hepatocellular necrosis after partial hepatectomy (RUFFOLO et al. 1966)

Infectiology

- viral inclusion bodies in animals bearing larval forms of tapeworms (KILHAM et al. 1970)

Cell biology

- contaminant of permanent human cell lines (HALLAUER et al. 1971)
- infection of human cells is increased after oncogenic transformation (TOOLAN & LEDINKO 1965, DUPRESSOIR et al. 1989, CHEN et al. 1986, ROMMELAERE & CORNELIS 1991)
- human cells naturally or experimentally transformed with DNA tumour viruses are permissive for H-1 infection (FAISST et al. 1989)
- in various human lymphoma-derived cells a persistent infection can occur (FAISST et al. 1990)

Teratology

- fetal deaths and congenital malformation after inoculation into pregnant hamsters (FERM & KILHAM 1964)

Infectiology

- H-1 together with KRV and C. piliforme can influence the prevalence rate of Yersinia-induced arthritis in rats (GRIPENBERG-LERCHE & TOIVANEN 1993, 1994)

Oncology

- greater susceptibility of human oncogenic transformed cells and tumour-derived cell lines than normal untransformed parental cells (CORNELIS et al. 1988, ROMMELAERE & CORNELIS 1991)
- presence of H-1 virus reduces the number of tumours produced by an oncogenic adenovirus in hamsters (TOOLAN & LEDINKO 1968)
- reduced incidence of spontaneous tumours in hamsters experimentally infected at birth (TOOLAN 1967, TOOLAN et al. 1982)
- reduced incidence of chemically induced tumours in experimentally infected hamsters (TOOLAN et al. 1982)
- inhibition of tumour formation in nude mice from a transplanted human tumour and retardation of tumour growth (DUPPRESSOIR et al. 1989)

References

Chen, Y. Q., F. de Foresta, J. Hertoghs, B. L. Avalosse, J. J. Cornelis, and J. Rommelaere. 1986. Selective killing of simian virus 40-transformed human fibroblasts by parvovirus H-1. *Cancer Res.* 46:3574-3579.

Cornelis, J. J., P. Becquart, N. Duponchel, N. Salome, B. L. Avalosse, M. Namba, and J. Rommelaere. 1988. Transformation of human fibroblasts by ionizing radiation, a chemical carcinogen, or simian virus 40 correlates with an increase in susceptibility to the autonomous parvoviruses H-1 virus and minute virus of mice. *J. Virol.* 62:1679-1686.

Dupressoir, T., J. M. Vanacker, J. J. Cornelis, N. Duponchel, and J. Rommelaere. 1989. Inhibition by parvovirus H-1 of the formation of tumors in nude mice and colonies in vitro by transformed human mammary epithelial cells. *Cancer Res.* 49:3203-3208.

Faisst, S., J. R. Schlehofer, and H. zur Hausen. 1989. Transformation of human cells by oncogenic viruses supports permissiveness for parvovirus H-1 propagation. *J. Virol.* 63:2152-2158.

Faisst, S., S. Bartnitzke, J. R. Schlehofer, and H. zur Hausen. 1990. Persistence of parvovirus H-1 DNA in human B- and T-lymphoma cells. *Virus Res.* 16:211-224.

Fassolitis, A. C., et al. 1985. Thermal resistance of three parvoviruses: a possible human isolate, the minute virus of mice, and the latent rat virus. *J. Food. Protect.* 48:4-6.

Ferm, V. H., and L. Kilham. 1964. Congenital anomalies induced in hamster embryos with H-1 virus. *Science* 145:510-511.

Greene, E. L. 1963. Physical and chemical properties of H-1 virus. pH and heat stability of the hemagglutinating property. *Proc. Soc. Exp. Biol. Med.* 118:973-975.

Gripenberg-Lerche, C., and P. Toivanen. 1993. *Yersinia* associated arthritis in SHR rats: effect of the microbial status of the host. *Ann. Rheum. Dis.* 52:223-228.

Gripenberg-Lerche, C., and P. Toivanen. 1994. Variability in the induction of experimental arthritis: *Yersinia* associated arthritis in Lewis rats. *Scand. J. Rheumatol.* 23:124-127.

Hallauer, C., G. Kronauer, and G. Siegl. 1971. Parvoviruses as contaminants of permanent human cell lines. I. Virus isolations from 1960 to 1970. *Arch. Ges. Virusforsch.* 35:80-90.

Jacoby, R. O., P. N. Bhatt, and A. M. Jonas. 1979. Viral Diseases, in: H. J. Baker, J. R. Lindsey & S. H. Weisbroth (Eds.): The laboratory rat, Vol. 1, Biology and Diseases, Academic Press, New York, 1979.

Jacoby, R. O., and L. Ball-Goodrich. 1995. Parvovirus infections of mice and rats. *Sem. Virol.* 6:329-337.

Kilham, L., and G. Margolis. 1969 Transplacental infection of rats and hamsters induced by oral and parenteral inoculations of H1 and rat viruses (RV). *Teratology* 2:111-223.

Kilham, L., G. Margolis, and E. D. Colby. 1970. Enhanced proliferation of H-1 virus in livers of rats infected with *Cysticercus fasciolaris*. *J. Infect Dis.* 121:648-652.

Kilham, L., and G. Margolis. 1975. Problems of human concern arising from animal models of intrauterine and neonatal infections due to viruses: a review. I. Introduction and virologic studies. *Progr. Med. Virol.* 20:113-143.

Margolis, G., and L. Kilham. 1975. Problems of human concern arising from animal models of intrauterine and neonatal infections due to viruses: a review. II. Pathologic studies. *Progr. Med. Virol.* 20:144-179.

National Research Council, Committee on Infectious Diseases of Mice and Rats. Infectious diseases of mice and rats National Academy Press, Washington, D.C., 1991.

Rommelaere, J., and J. J Cornelis. 1991. Antineoplastic activity of parvoviruses. *J. Virol. Methods* 33:233-251.

Ruffolo, P. R., G. Margolis, and L. Kilham. 1966. The induction of hepatitis by prior partial hepatectomy in resistant adult rats infected with H-1 virus. *Am J. Pathol.* 49:795-824.

Schuster, G. S., G. B. Caugham, and N. L. O'Dell. 1991. Altered lipid metabolism in parvovirus-infected cells *Microbios*. 66:134-155.

Tattersall, P., and S. F. Cotmore. 1986. The rodent parvoviruses, in: Bhatt, P. N. et al. (Eds.), Viral and mycoplasmal infections of laboratory rodents. Effects on biomedical research. Academic Press Inc., Orlando, 1986.

Toolan, H. W. 1967 Lack of oncogenic effect of the H-viruses for hamsters. *Nature* 214:1036.

Toolan, H. W., and N. Ledinko. 1965. Growth and cytopathogenicity of H-1 viruses in human and simian cell cultures. *Nature* 214:812-813.

Toolan, H. W., and N. Ledinko. 1968. Inhibition by H-1 virus of the incidence of tumors produced by adenovirus 12 in hamsters. *Virology* 35:475-478.

Toolan, H. W., S. L. Rhode, and J. F. Gierthy. 1982. Inhibition of 7, 12-Dimethylbenz(a)anthracene-induced tumors in syrian hamsters by prior infection with H-1 parvoviruses. *Cancer Res.* 42:2552-2555.

Author: Werner Nicklas, DKFZ Heidelberg, Germany

